

**Vacuum Cleaners with
Direct Drive
Type DA 5112
Type DA 5152
Real
powerhouses**



Vacuum Cleaners with Direct Drive Type DA 5152



Top performance and advanced technology

- Safe intake and disposal of large quantities
 - Effortless removal of the dust bin
 - Forklift slots for transport
- Effective, large pocket filter
 - Cleaning by Airtouch and by manual deduster
 - For use in zone 22

• Forklift slots for transport



Progressive lowering of the collection bin

Effortless removal of the dust bin



150 litre container with tilting device and forklift pockets in the frame

Technical data

| | DA 5112 | DA 5152 |
|---|-------------|-------------|
| Housing | Sheet steel | Sheet steel |
| Motor power (kW) | 11 | 15 |
| Voltage (V) | 400 | 400 |
| Vacuum (mbar) | - 310 | - 400 |
| Vacuum (short-term) (mbar) | - 550 | -550 |
| Air flow rate (m³/h) (measured with 3 m hose) | 1.040 | 1.040 |
| Sound pressure level (dB(A)) DIN 45635-01-KL3 | 75 | 75 |
| Pocket filter for dust class M (m²) | 4,5 | 4,5 |
| Residual dust filter for dust class H (m²) | 3,5 | 3,5 |
| Height dust class M (mm) | 1.994 | 1.994 |
| Height dust class M H (mm) | 1.994 | 1.994 |
| Width (mm) | 843 | 843 |
| Length with handle of collection bin (mm) | 1.820 | 1.820 |
| Length without handle of collection bin (mm) | 1.578 | 1.587 |
| Protection class IP | 54 / 65 | 54 / 65 |
| Capacity (litres) | 150 | 150 |
| Suction connection (mm) | 100 | 100 |

Equipment

| | |
|--|----------|
| Protection class IP 65 | ✓ |
| Vacuum relief valve | ✓ |
| Manometer | ✓ |
| Airtouch deduster | ✓ |
| Manual deduster | ✓ |
| Residual dust filter | optional |
| Crane socket for the device | optional |
| Wear plate | optional |
| Exchangeable cyclone funnel | ✓ |
| Temperature monitoring (Switch-off at 130°C/266°F exhaust air) | ✓ |
| connecting cable 10 meter | ✓ |
| 32 A with two-pin plug | ✓ |
| Automatic star-delta start-up | ✓ |
| Remote switch-on | ✓ |

Ruwac
Industriesauger



Ruwac
Industriesauger GmbH
Westthoyeler Str. 25
49328 Melle

+49 (0) 52 26 - 98 30-0
www.ruwac.de
ruwac@ruwac.de

Industrial vacuum cleaners are available in explosion-proof versions in accordance with ATEX 2014/34/EU..



14-150-002-07.2019